


This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS					
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED
1		RELEASED FOR PRODUCTION.	1/20/2016	RJC	JAG





NOTE:
REFERENCE EUROCOPTER T/N 105-42121W7.

DART AEROSPACE	
TITLE MOUNTING TOOL	
DWG NO. RBE105-42121W7	REV 1
MAT'L UNLESS OTHERWISE SPECIFIED	
TREAT DIMENSIONS ARE IN INCHES	
FINISH .XXX ± .005 FRACTIONS ± 1/8	
SPEC .XX ± .01 ANGLES ± .5°	
DRAWN BY: CLOUGH 1. BREAK ALL SHARP EDGES .015 x 45° OR .015R	
CHECKED: DUERFELDT 2. DIMENSIONAL LIMITS APPLY	
OPPS APPR: ANDERSON AFTER PLATING	
QA APPR: LINDSAY 3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009	
APPROVED: GILBERT USED ON MODEL	
SCALE 1:2 DATE 12/30/2015 SHEET 1 OF 3	

ASSY QTY	ASSY QTY	B/O	Part #	UNIT QTY	Description	Material	B/O INFORMATION OR SPECIFICATIONS	PG.
			-1	1	SUPPORT	6061		2
			-3	1	DRIFT	4140/4142 Q & T		3

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS				
REV	ECR	DESCRIPTION	DATE	INITIAL
				APPROVED






(-1)
SUPPORT

DART AEROSPACE	
TITLE MOUNTING TOOL	
DWG NO. RBE105-42121W7-1	REV 1
MAT'L 6061	UNLESS OTHERWISE SPECIFIED
HEAT TREAT	DIMENSIONS ARE IN INCHES
FINISH CLEAR ANODIZE	.XXX ± .005 FRACTIONS ± 1/8
SPEC MIL-A-8625, TYPE II, CLASS I	.XX ± .01 ANGLES ± 5°
DRAWN BY: CLOUGH	.X ± .1 SURFACES = 125/✓
CHECKED: DUERFELDT	1. BREAK ALL SHARP EDGES
OPPS APPR: ANDERSON	.015 x 45° OR .015R
QA APPR: LINDSAY	2. DIMENSIONAL LIMITS APPLY
APPROVED: GILBERT	AFTER PLATING
	3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009
	USED ON MODEL
	EC145
SCALE 1:2	DATE 12/29/2015
	SHEET 2 OF 3

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS				
REV	ECR	DESCRIPTION	DATE	INITIAL
				APPROVED



SECTION A-A

(-3)

DRIFT

DART AEROSPACE	
TITLE MOUNTING TOOL	
DWG NO. RBE105-42121W7-3	REV 1
MAT'L 4140/4142 Q & T	UNLESS OTHERWISE SPECIFIED
HEAT TREAT	DIMENSIONS ARE IN INCHES
FINISH ZINC PLATE	.XXX ± .005 FRACTIONS ± 1/8
SPEC ASTM B633 TYPE I SC 2	.XX ± .01 ANGLES ± 5°
DRAWN BY: CLOUGH	.X ± .1 SURFACES = 125°
CHECKED: DUERFELDT	1. BREAK ALL SHARP EDGES
OPPS APPR: ANDERSON	.015 x 45° OR .015R
QA APPR: LINDSAY	2. DIMENSIONAL LIMITS APPLY
APPROVED: GILBERT	AFTER PLATING
SCALE 1:2	3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009
DATE 12/30/2015	USED ON MODEL
	EC145
	SHEET 3 OF 3